

2012

- Abdullah Z, Geiger S, **Nino-Castro A**, Bottcher JP, Muraliv E, Gaidt M, Schildberg FA, Riethausen K, Flossdorf J, Krebs W, Chakraborty T, Kurts C, **Schultze JL**, Knolle PA and Klotz L. (2012). Lack of PPARgamma in myeloid cells confers resistance to *Listeria monocytogenes* infection. *PloS one*, 7(5), e37349.
- Ackermann D**, Jester SS and **Famulok M**. (2012). Design strategy for DNA rotaxanes with a mechanically reinforced PX100 axle. *Angewandte Chemie*, 51(27), 6771-6775.
- Albertoni B**, **Hannam JS**, **Ackermann D**, **Schmitz A** and **Famulok M**. (2012). A trifluoromethylphenyl diazirine-based SecinH3 photoaffinity probe. *Chemical communications*, 48(9), 1272-1274.
- Aycirieux S, Le Guedard M, Camougrand N, Velours G, **Schoene M**, Leone S, Wattlelet-Boyer V, Dupuy JW, Shevchenko A, Schmitter JM, Lessire R, Bessoule JJ and Testet E. (2012). YPR139c/LOA1 encodes a novel lysophosphatidic acid acyltransferase associated with lipid droplets and involved in TAG homeostasis. *Molecular biology of the cell*, 23(2), 233-246.
- Bajorath J**. (2012). Chemoinformatics: recent advances at the interfaces between computer and chemical information sciences, chemistry, and drug discovery. *Bioorganic & medicinal chemistry*, 20(18), 5316.
- Bajorath J**. (2012). Computational chemistry in pharmaceutical research: at the crossroads. *Journal of computer-aided molecular design*, 26(1), 11-12.
- Bajorath J**. (2012). Modeling of activity landscapes for drug discovery. *Expert opinion on drug discovery*, 7(6), 463-473.
- Bajorath J**. (2012). Progress in computational medicinal chemistry. *Journal of medicinal chemistry*, 55(8), 3593-3594.
- Beyer M**, **Mallmann MR**, **Xue J**, **Staratschek-Jox A**, Vorholt D, Krebs W, **Sommer D**, **Sander J**, Mertens C, **Nino-Castro A**, **Schmidt SV** and **Schultze JL**. (2012). High-resolution transcriptome of human macrophages. *PloS one*, 7(9), e45466.
- Beyer M**, Schumak B, Weihrauch MR, Andres B, Giese T, Endl E, Knolle PA, **Classen S**, Limmer A and **Schultze JL**. (2012). In vivo expansion of naive CD4+ CD25(high) FOXP3+ regulatory T cells in patients with colorectal carcinoma after IL-2 administration. *PloS one*, 7(1), e30422.
- Beyer M**. (2012). Interleukin-2 treatment of tumor patients can expand regulatory T cells. *Oncoimmunology*, 1(7), 1181-1182.
- Bill A**, **Schmitz A**, Konig K, Heukamp LC, **Hannam JS** and **Famulok M**. (2012). Anti-proliferative effect of cytohesin inhibition in gefitinib-resistant lung cancer cells. *PloS one*, 7(7), e41179.
- Brieke C, **Rohrbach F**, Gottschalk A, **Mayer G** and Heckel A. (2012). Light-controlled tools. *Angewandte Chemie*, 51(34), 8446-8476.
- Contreras FX, Ernst AM, Haberkant P, Bjorkholm P, Lindahl E, Gonen B, Tischer C, Elofsson A, von Heijne G, **Thiele C**, Pepperkok R, Wieland F and Brugger B. (2012). Molecular recognition of a single sphingolipid species by a protein's transmembrane domain. *Nature*, 481(7382), 525-529.
- de la Vega de Leon A** and **Bajorath J**. (2012). Design of a three-dimensional multitarget activity

landscape. *Journal of chemical information and modeling*, 52(11), 2876-2883.

- Debey-Pascher S, Chen J, Voss T and Staratschek-Jox A.** (2012). Blood-based miRNA preparation for noninvasive biomarker development. *Methods in molecular biology*, 822, 307-338.
- Degen J, Dublin P, Zhang J, Dobrowolski R, Jokwitz M, Karram K, Trotter J, Jabs R, Willecke K, Steinhauser C and Theis M.** (2012). Dual reporter approaches for identification of Cre efficacy and astrocyte heterogeneity. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*, 26(11), 4576-4583.
- Dimova D and Bajorath J.** (2012). Computational chemical biology: identification of small molecular probes that discriminate between members of target protein families. *Chemical biology & drug design*, 79(4), 369-375.
- Dimova D, Hu Y and Bajorath J.** (2012). Matched molecular pair analysis of small molecule microarray data identifies promiscuity cliffs and reveals molecular origins of extreme compound promiscuity. *Journal of medicinal chemistry*, 55(22), 10220-10228.
- Dimova D, Iyer P, Vogt M, Totzke F, Kubbutat MH, Schachtele C, Laufer S and Bajorath J.** (2012). Assessing the target differentiation potential of imidazole-based protein kinase inhibitors. *Journal of medicinal chemistry*, 55(24), 11067-11071.
- Ernst AM, Contreras FX, Thiele C, Wieland F and Brugger B.** (2012). Mutual recognition of sphingolipid molecular species in membranes. *Biochimica et biophysica acta*, 1818(11), 2616-2622.
- Everts B, Hussaarts L, Driessen NN, Meevissen MH, Schramm G, van der Ham AJ, van der Hoeven B, Scholzen T, Burgdorf S, Mohrs M, Pearce EJ, Hokke CH, Haas H, Smits HH and Yazdanbakhsh M.** (2012). Schistosome-derived omega-1 drives Th2 polarization by suppressing protein synthesis following internalization by the mannose receptor. *The Journal of experimental medicine*, 209(10), 1753-1767, S1751.
- Fehrenschild D, Galli U, Breiden B, Bloch W, Schettina P, Brodesser S, Michels C, Gunschmann C, Sandhoff K, Niessen CM and Niemann C.** (2012). TCF/Lef1-mediated control of lipid metabolism regulates skin barrier function. *The Journal of investigative dermatology*, 132(2), 337-345.
- Frank M, Wirth A, Andrie RP, Kreuzberg MM, Dobrowolski R, Seifert G, Offermanns S, Nickenig G, Willecke K and Schrickel JW.** (2012). Connexin45 provides optimal atrioventricular nodal conduction in the adult mouse heart. *Circulation research*, 111(12), 1528-1538.
- Ginkel C, Hartmann D, vom Dorp K, Zlomuzica A, Farwanah H, Eckhardt M, Sandhoff R, Degen J, Rabionet M, Dere E, Dormann P, Sandhoff K and Willecke K.** (2012). Ablation of neuronal ceramide synthase 1 in mice decreases ganglioside levels and expression of myelin-associated glycoprotein in oligodendrocytes. *The Journal of biological chemistry*, 287(50), 41888-41902.
- Gupta-Ostermann D and Bajorath J.** (2012). Identification of multitarget activity ridges in high-dimensional bioactivity spaces. *Journal of chemical information and modeling*, 52(10), 2579-2586.
- Gupta-Ostermann D, Hu Y and Bajorath J.** (2012). Introducing the LASSO graph for compound data set representation and structure-activity relationship analysis. *Journal of medicinal chemistry*, 55(11), 5546-5553.
- Gupta-Ostermann D, Wawer M, Wassermann AM and Bajorath J.** (2012). Graph mining for SAR transfer series. *Journal of chemical information and modeling*, 52(4), 935-942.
- Hagen-Euteneuer N, Lutjohann D, Park H, Merrill AH, Jr. and van Echten-Deckert G.** (2012). Sphingosine 1-phosphate (S1P) lyase deficiency increases sphingolipid formation via recycling at the expense of de novo biosynthesis in neurons. *The Journal of biological chemistry*, 287(12), 9128-9136.
- Heikamp K and Bajorat J.** (2012). Fingerprint design and engineering strategies: rationalizing and improving similarity search performance. *Future medicinal chemistry*, 4(15), 1945-1959.
- Heikamp K, Hu X, Yan A and Bajorath J.** (2012). Prediction of activity cliffs using support vector machines. *Journal of chemical information and modeling*, 52(9), 2354-2365.
- Hons M, Niebel B, Karnowski N, Weiche B and Famulok M.** (2012). Pan-selective aptamers for the family of small GTPases. *ChemBiochem : a European journal of chemical biology*, 13(10),

1433-1437.

- Hu X, Hu Y, Vogt M, Stumpfe D and Bajorath J.** (2012). MMP-Cliffs: systematic identification of activity cliffs on the basis of matched molecular pairs. *Journal of chemical information and modeling*, 52(5), 1138-1145.
- Hu Y and Bajorath J.** (2012). Exploration of 3D activity cliffs on the basis of compound binding modes and comparison of 2D and 3D cliffs. *Journal of chemical information and modeling*, 52(3), 670-677.
- Hu Y and Bajorath J.** (2012). Extending the activity cliff concept: structural categorization of activity cliffs and systematic identification of different types of cliffs in the ChEMBL database. *Journal of chemical information and modeling*, 52(7), 1806-1811.
- Hu Y and Bajorath J.** (2012). Growth of ligand-target interaction data in ChEMBL is associated with increasing and activity measurement-dependent compound promiscuity. *Journal of chemical information and modeling*, 52(10), 2550-2558.
- Hu Y and Bajorath J.** (2012). Rationalizing structure and target relationships between current drugs. *The AAPS journal*, 14(4), 764-771.
- Hu Y, Furtmann N, Gutschow M and Bajorath J.** (2012). Systematic identification and classification of three-dimensional activity cliffs. *Journal of chemical information and modeling*, 52(6), 1490-1498.
- Ihler F, Vetter EV, Pan J, Kammerer R, **Debey-Pascher S, Schultze JL**, Zimmermann W and Enders G. (2012). Expression of a neuroendocrine gene signature in gastric tumor cells from CEA 424-SV40 large T antigen-transgenic mice depends on SV40 large T antigen. *PloS one*, 7(1), e29846.
- Ilchmann A, Krause M, Heilmann M, **Burgdorf S**, Vieths S and Toda M. (2012). Impact of culture medium on maturation of bone marrow-derived murine dendritic cells via the aryl hydrocarbon receptor. *Molecular immunology*, 51(1), 42-50.
- Iyer P, Dimova D, Vogt M and Bajorath J.** (2012). Navigating high-dimensional activity landscapes: design and application of the ligand-target differentiation map. *Journal of chemical information and modeling*, 52(8), 1962-1969.
- Jaspers MH, Nolde K, **Behr M**, Joo SH, Plessmann U, Nikolov M, Urlaub H and **Schuh R.** (2012). The claudin Megatrachea protein complex. *The Journal of biological chemistry*, 287(44), 36756-36765.
- Jennemann R, Rabionet M, Gorgas K, Epstein S, Dalpke A, Rothermel U, Bayerle A, van der Hoeven F, **Imgrund S**, Kirsch J, Nickel W, **Willecke K**, Riezman H, Grone HJ and Sandhoff R. (2012). Loss of ceramide synthase 3 causes lethal skin barrier disruption. *Human molecular genetics*, 21(3), 586-608.
- Jobs A, Schmidt K, Schmidt VJ, **Lubkemeier I**, van Veen TA, Kurtz A, **Willecke K** and de Wit C. (2012). Defective Cx40 maintains Cx37 expression but intact Cx40 is crucial for conducted dilations irrespective of hypertension. *Hypertension*, 60(6), 1422-1429.
- Khodosevich K, Zuccotti A, Kreuzberg MM, Le Magueresse C, **Frank M, Willecke K** and Monyer H. (2012). Connexin45 modulates the proliferation of transit-amplifying precursor cells in the mouse subventricular zone. *Proceedings of the National Academy of Sciences of the United States of America*, 109(49), 20107-20112.
- Knapp A, Czech U, Goralska J, Sliwa A, Gruca A, Kiec-Wilk B, Awsiuk M, **Thiele C**, Dudek W and Dembinska-Kiec A. (2012). Influence of fatty acids on mitochondrial metabolism of adipocyte progenitors and endothelial cells. *Archives of physiology and biochemistry*, 118(3), 128-134.
- Kohler T**, Reizis B, Johnson RS, **Weighardt H** and **Forster I.** (2012). Influence of hypoxia-inducible factor 1alpha on dendritic cell differentiation and migration. *European journal of immunology*, 42(5), 1226-1236.
- Kuerschner L**, Richter D, Hannibal-Bach HK, Gaebler A, Shevchenko A, Ejsing CS and **Thiele C.** (2012). Exogenous ether lipids predominantly target mitochondria. *PloS one*, 7(2), e31342.
- Li J**, Malaby AW, **Famulok M**, Sabe H, Lambricht DG and Hsu VW. (2012). Grp1 plays a key role in linking insulin signaling to glut4 recycling. *Developmental cell*, 22(6), 1286-1298.
- Li R and Bajorath J.** (2012). Systematic assessment of scaffold distances in ChEMBL: prioritization

- of compound data sets for scaffold hopping analysis in virtual screening. *Journal of computer-aided molecular design*, 26(10), 1101-1109.
- Li T, Ackermann D, Hall AM and Famulok M.** (2012). Input-dependent induction of oligonucleotide structural motifs for performing molecular logic. *Journal of the American Chemical Society*, 134(7), 3508-3516.
- Lohmann F, Ackermann D and Famulok M.** (2012). Reversible light switch for macrocycle mobility in a DNA rotaxane. *Journal of the American Chemical Society*, 134(29), 11884-11887.
- Ma J, Xiao F, Xiong M, Andrew AS, Brenner H, Duell EJ, Haugen A, Hoggart C, Hung RJ, Lazarus P, Liu C, Matsuo K, Mayordomo JI, Schwartz AG, **Staratschek-Jox A**, Wichmann E, Yang P and Amos CI. (2012). Natural and orthogonal interaction framework for modeling gene-environment interactions with application to lung cancer. *Human heredity*, 73(4), 185-194.
- Maurer E, Sisay MT, Stirnberg M, Steinmetzer T, **Bajorath J** and Gutschow M. (2012). Insights into matriptase-2 substrate binding and inhibition mechanisms by analyzing active-site-mutated variants. *ChemMedChem*, 7(1), 68-72.
- Mayer P, Mayer B and **Mayer G.** (2012). Systems biology: building a useful model from multiple markers and profiles. *Nephrology, dialysis, transplantation : official publication of the European Dialysis and Transplant Association - European Renal Association*, 27(11), 3995-4002.
- McInnes N, Sadlon TJ, Brown CY, Pederson S, **Beyer M, Schultze JL**, McColl S, Goodall GJ and Barry SC. (2012). FOXP3 and FOXP3-regulated microRNAs suppress SATB1 in breast cancer cells. *Oncogene*, 31(8), 1045-1054.
- Meyer C, Eydeler K, Magbanua E, Zivkovic T, Piganeau N, Lorenzen I, Grotzinger J, **Mayer G**, Rose-John S and Hahn U. (2012). Interleukin-6 receptor specific RNA aptamers for cargo delivery into target cells. *RNA biology*, 9(1), 67-80.
- Molnar E, Swamy M, Holzer M, Beck-Garcia K, Worch R, **Thiele C**, Guigas G, Boye K, Luescher IF, Schwille P, Schubert R and Schamel WW. (2012). Cholesterol and sphingomyelin drive ligand-independent T-cell antigen receptor nanoclustering. *The Journal of biological chemistry*, 287(51), 42664-42674.
- Namasivayam V and Bajorath J.** (2012). Multiobjective particle swarm optimization: automated identification of structure-activity relationship-informative compounds with favorable physico-chemical property distributions. *Journal of chemical information and modeling*, 52(11), 2848-2855.
- Namasivayam V and Bajorath J.** (2012). Searching for coordinated activity cliffs using particle swarm optimization. *Journal of chemical information and modeling*, 52(4), 927-934.
- Namasivayam V, Iyer P and Bajorath J.** (2012). Exploring SAR continuity in the vicinity of activity cliffs. *Chemical biology & drug design*, 79(1), 22-29.
- Niwa D, Fujie T, **Lang T**, Goda N and Takeoka S. (2012). Heterofunctional nanosheet controlling cell adhesion properties by collagen coating. *Journal of biomaterials applications*, 27(2), 131-141.
- Petkau G, Wingen C, Jussen LC, Radtke T and Behr M.** (2012). Obstructor-A is required for epithelial extracellular matrix dynamics, exoskeleton function, and tubulogenesis. *The Journal of biological chemistry*, 287(25), 21396-21405.
- Pinto A, **Lennarz S**, Rodrigues-Correia A, **Heckel A**, O'Sullivan CK and **Mayer G.** (2012). Functional detection of proteins by caged aptamers. *ACS chemical biology*, 7(2), 360-366.
- Poppelreuther M, Rudolph B, Du C, Grossmann R, Becker M, **Thiele C**, Eehalt R and Fullekrug J. (2012). The N-terminal region of acyl-CoA synthetase 3 is essential for both the localization on lipid droplets and the function in fatty acid uptake. *Journal of lipid research*, 53(5), 888-900.
- Raunest M and Kandt C.** (2012). Locked on one side only: ground state dynamics of the outer membrane efflux duct TolC. *Biochemistry*, 51(8), 1719-1729.
- Ripphausen P**, Freundlieb M, Brunschweiler A, Zimmermann H, Muller CE and **Bajorath J.** (2012). Virtual screening identifies novel sulfonamide inhibitors of ecto-5'-nucleotidase. *Journal of medicinal chemistry*, 55(14), 6576-6581.
- Ripphausen P, Stumpfe D and Bajorath J.** (2012). Analysis of structure-based virtual screening studies and characterization of identified active compounds. *Future medicinal chemistry*, 4(5), 603-613.

- Rohrbach F**, Fatthalla MI, Kupper T, Potzsch B, Muller J, Petersen M, Pedersen EB and **Mayer G**. (2012). Chemical maturation of a bivalent aptamer by single domain variation. *Chembiochem : a European journal of chemical biology*, 13(5), 631-634.
- Rohrbach F**, Karadeniz H, Erdem A, **Famulok M** and **Mayer G**. (2012). Label-free impedimetric aptasensor for lysozyme detection based on carbon nanotube-modified screen-printed electrodes. *Analytical biochemistry*, 421(2), 454-459.
- Roth W, Kumar V, Beer HD, Richter M, Wohlenberg C, Reuter U, Thiering S, **Staratschek-Jox A**, **Hofmann A**, Kreuzsch F, **Schultze JL**, Vogl T, Roth J, Reichelt J, Hausser I and Magin TM. (2012). Keratin 1 maintains skin integrity and participates in an inflammatory network in skin through interleukin-18. *Journal of cell science*, 125(Pt 22), 5269-5279.
- Ruhl H, Muller J, Harbrecht U, Fimmers R, Oldenburg J, **Mayer G** and Potzsch B. (2012). Thrombin inhibition profiles in healthy individuals and thrombophilic patients. *Thrombosis and haemostasis*, 107(5), 848-853.
- Sandhoff K**. (2012). My journey into the world of sphingolipids and sphingolipidoses. *Proceedings of the Japan Academy. Series B, Physical and biological sciences*, 88(10), 554-582.
- Schafer M, **Farwanah H**, Willrodt AH, Huebner AJ, **Sandhoff K**, Roop D, Hohl D, Bloch W and Werner S. (2012). Nrf2 links epidermal barrier function with antioxidant defense. *EMBO molecular medicine*, 4(5), 364-379.
- Schmid-Burgk JL, Xie Z, Frank S, Virreira Winter S, **Mitschka S**, **Kolanus W**, Murray A and Benenson Y. (2012). Rapid hierarchical assembly of medium-size DNA cassettes. *Nucleic acids research*, 40(12), e92.
- Schmidt A, Jung J, Ernstmann N, Driller E, Neumann M, **Staratschek-Jox A**, Schneider C, Wolf J and Pfaff H. (2012). The association between active participation in a sports club, physical activity and social network on the development of lung cancer in smokers: a case-control study. *BMC research notes*, 5, 2.
- Schmidt SV**, **Nino-Castro AC** and **Schultze JL**. (2012). Regulatory dendritic cells: there is more than just immune activation. *Frontiers in immunology*, 3, 274.
- Schmidt TH** and **Kandt C**. (2012). LAMBADA and InflateGRO2: efficient membrane alignment and insertion of membrane proteins for molecular dynamics simulations. *Journal of chemical information and modeling*, 52(10), 2657-2669.
- Schmidt VJ, Jobs A, von Maltzahn J, Worsdorfer P, **Willecke K** and de Wit C. (2012). Connexin45 is expressed in vascular smooth muscle but its function remains elusive. *PLoS one*, 7(7), e42287.
- Schreiber A**, **Fischer S** and **Lang T**. (2012). The amyloid precursor protein forms plasmalemmal clusters via its pathogenic amyloid-beta domain. *Biophysical journal*, 102(6), 1411-1417.
- Schwandt T, Schumak B, Gielen GH, Jungerkes F, Schmidbauer P, Klocke K, **Staratschek-Jox A**, van Rooijen N, Kraal G, Ludwig-Portugall I, Franken L, Wehner S, Kalff JC, Weber O, Kirschning C, Coch C, Kalinke U, Wenzel J, Kurts C, Zawatzky R, Holzmann B, Layland L, **Schultze JL**, **Burgdorf S**, den Haan JM, Knolle PA and Limmer A. (2012). Expression of type I interferon by splenic macrophages suppresses adaptive immunity during sepsis. *The EMBO journal*, 31(1), 201-213.
- Sonntag S**, Dedek K, Dorgau B, Schultz K, Schmidt KF, Cimiotti K, Weiler R, Lowel S, **Willecke K** and Janssen-Bienhold U. (2012). Ablation of retinal horizontal cells from adult mice leads to rod degeneration and remodeling in the outer retina. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 32(31), 10713-10724.
- Stumpfe D** and **Bajorath J**. (2012). Exploring activity cliffs in medicinal chemistry. *Journal of medicinal chemistry*, 55(7), 2932-2942.
- Stumpfe D** and **Bajorath J**. (2012). Frequency of occurrence and potency range distribution of activity cliffs in bioactive compounds. *Journal of chemical information and modeling*, 52(9), 2348-2353.
- Stumpfe D**, **Ripphausen P** and **Bajorath J**. (2012). Virtual compound screening in drug discovery. *Future medicinal chemistry*, 4(5), 593-602.
- Terme M, Ullrich E, Aymeric L, Meinhardt K, Coudert JD, Desbois M, Ghiringhelli F, Viaud S, Ryffel B,

- Yagita H, Chen L, Mecheri S, Kaplanski G, Prevost-Blondel A, Kato M, **Schultze JL**, Tartour E, Kroemer G, Degli-Esposti M, Chaput N and Zitvogel L. (2012). Cancer-induced immunosuppression: IL-18-elicited immunoablative NK cells. *Cancer research*, 72(11), 2757-2767.
- Tesmer VM, **Lennarz S**, **Mayer G** and Tesmer JJ. (2012). Molecular mechanism for inhibition of G protein-coupled receptor kinase 2 by a selective RNA aptamer. *Structure*, 20(8), 1300-1309.
- Thiele C**, Papan C, Hoelper D, Kusserow K, **Gaebler A**, **Schoene M**, **Piotrowitz K**, **Lohmann D**, **Spandl J**, **Stevanovic A**, Shevchenko A and **Kuerschner L**. (2012). Tracing fatty acid metabolism by click chemistry. *ACS chemical biology*, 7(12), 2004-2011.
- Torres A, Wang F, Xu Q, Fujita T, Dobrowolski R, **Willecke K**, Takano T and Nedergaard M. (2012). Extracellular Ca²⁺(+) acts as a mediator of communication from neurons to glia. *Science signaling*, 5(208), ra8.
- Tress O**, Maglione M, **May D**, Pivneva T, Richter N, Seyfarth J, Binder S, Zlomuzica A, Seifert G, Theis M, Dere E, Kettenmann H and **Willecke K**. (2012). Panglial gap junctional communication is essential for maintenance of myelin in the CNS. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 32(22), 7499-7518.
- Ultee A, **Hahn I**, Schwarz S and Konig H. (2012). The development of species-specific probes for a quantitative estimation of non-cultured bacteria in groundwater samples. *Water Sci Technol*, 12(2), 212-219.
- van Echten-Deckert G** and Walter J. (2012). Sphingolipids: critical players in Alzheimer's disease. *Progress in lipid research*, 51(4), 378-393.
- Vinkenburg JL**, **Mayer G** and **Famulok M**. (2012). Aptamer-based affinity labeling of proteins. *Angewandte Chemie*, 51(36), 9176-9180.
- Vogt M** and **Bajorath J**. (2012). Chemoinformatics: a view of the field and current trends in method development. *Bioorganic & medicinal chemistry*, 20(18), 5317-5323.
- Wassermann AM** and **Bajorath J**. (2012). Directed R-group combination graph: a methodology to uncover structure-activity relationship patterns in a series of analogues. *Journal of medicinal chemistry*, 55(3), 1215-1226.
- Wassermann AM**, Haebel P, Weskamp N and **Bajorath J**. (2012). SAR matrices: automated extraction of information-rich SAR tables from large compound data sets. *Journal of chemical information and modeling*, 52(7), 1769-1776.
- Wassermann AM**, **Nisius B**, **Vogt M** and **Bajorath J**. (2012). Information entropic functions for molecular descriptor profiling. *Methods in molecular biology*, 819, 43-55.
- Wulffen B, Buff MC, Pofahl M, **Mayer G** and Heckel A. (2012). Caged glucosamine-6-phosphate for the light-control of riboswitch activity. *Photochemical & photobiological sciences : Official journal of the European Photochemistry Association and the European Society for Photobiology*, 11(3), 489-492.
- Zehner M**, **Rauen J**, **Chasan AI**, **Embgenbroich M**, Camps MG, Kaden S, Haas A, Kurts C, Endl E, Beyer M, Grone HJ, Ossendorp F and **Burgdorf S**. (2012). Intraendosomal flow cytometry: a novel approach to analyze the protein composition of antigen-loaded endosomes. *European journal of immunology*, 42(8), 2187-2190.
- Zhang B**, **Wassermann AM**, **Vogt M** and **Bajorath J**. (2012). Systematic assessment of compound series with SAR transfer potential. *Journal of chemical information and modeling*, 52(12), 3138-3143.
- Zlomuzica A, **Tress O**, Binder S, Rovira C, **Willecke K** and Dere E. (2012). Changes in object recognition and anxiety-like behaviour in mice expressing a Cx47 mutation that causes Pelizaeus-Merzbacher-like disease. *Developmental neuroscience*, 34(2-3), 277-287.
- Zlomuzica A, Viggiano D, **Degen J**, Binder S, Ruocco LA, Sadile AG, **Willecke K**, Huston JP and Dere E. (2012). Behavioral alterations and changes in Ca/calmodulin kinase II levels in the striatum of connexin36 deficient mice. *Behavioural brain research*, 226(1), 293-300.